

# JetStor<sup>®</sup>

Storage. Solutions. Support.

SAS / SATA / SSD

4U

60 BAY

## JetStor SAS 760iS 10G HIGH PERFORMANCE RAID SYSTEM

**1,600  
MB/S!**



**JetStor SAS 760iS 10G**

The JetStor SAS 760iS 10G RAID system delivers increased performance and efficiency through 2 x 10Gb & 2 x 1Gb Ethernet host connections to enable the most demanding applications. Outstanding throughput coupled with fast random access eliminates bottlenecks in your most demanding applications, diminishing response times and increasing productivity. The JetStor SAS 760iS 10G RAID system accelerates databases, file servers, production applications, imaging, and any application demanding the instantaneous delivery of records, small and large files. The JetStor 760iS 10G also supports optional dual controllers which provide better fault tolerance and higher reliability of system operation.

### HIGHLY AVAILABLE DESIGN

JetStor SAS 760iS 10G RAID system features fail-safe engineering for non-stop operations. A fully cableless design improves reliability. Dual hot-swappable power supplies with integrated turbo-cooling and separate power connections, and single hot-swappable controller provides system tolerance of any component failure. SNMP or SMTP email notifications of all system events enables proactive maintenance.

### NON-STOP ADS AVAILABILITY


Almost all RAID levels are supported for precise configuration to your application's performance and protection requirements. Multiple drives may be designated as hot-spares allowing the system to transparently move data to a spare should an error be detected. Drives are hot-swappable, with automatic rebuilding of data on the new drive. Capacity can be increased and drives replaced while data remains on-line. JetStor SAS 760iS 10G offers high-capacity expansion to one JBOD chassis with total storage measured in terabytes. For the greatest protection, RAID 6 with Advanced Data Sentry technology allows for continuous operations even with two simultaneous drive failures. Considering that RAID 6 ADS provides 1,000 times greater data protection than RAID 5, why trust your data to any other technology?

### FEATURES

- Increased performance & efficiency through 2 x 10Gb & 2 x 1Gb Ethernet ports per controller to support your most demanding applications.
- RAID Manager browser based GUI management and monitoring software allows you to remotely configure and manage all JetStor systems with e-mail event notification.
- Supports all Operating Systems, both single and clustered.
- Field-replaceable major components allow for maximum convenience, uptime and configuration flexibility.
- Free telephone and email support.

### WARRANTY

- Three to five years on disk drives, one year on BBM, three years on all other components.
- Optional advanced replacement program ships drive replacements within 24 hours. Optional on-site service also available.



### RAID MANAGER

Proactively manage, configure and monitor all JetStor RAID systems from any browser.

[www.acnc.com](http://www.acnc.com)  
[sales@acnc.com](mailto:sales@acnc.com)  
800.213.2667



# JetStor<sup>®</sup>

Storage. Solutions. Support.

## SPECIFICATIONS

# JetStor SAS 760iS 10G

## HIGH PERFORMANCE RAID SYSTEM

# 1,600 MB/S!



Model	JetStor SAS 760iS 10G / 760iSD 10G
RAID Controller	760iS 10G: Single / 760iSD 10G: Dual
Host Ports	2 x 10Gb & 2 x 1Gb Ethernet per controller
Disk Interface	6Gb/s SAS/SATA, 12Gb/s SAS
6Gb/s SAS Expansion Ports	One, 6Gb/s SAS (SFF-8088) per controller
Drives (unit)	60, 2.5" / 3.5"
Processor type	Intel Xeon 64-bit RAID processor
Cache memory	4GB(default)-8GB(optional)/DDR3-800 ECC REG SDRAM
Battery backup	Optional
SMTP manager and SNMP agent	Yes
Management / Monitor port support	One, RJ45 Ethernet
<b>Enclosure</b>	
Disk status indicators	Access / Fail LED
Single Backplane	SAS2 / SATA3 Cableless
PS/Fan modules	Three, 700W w/PFC
Turbo Fans	Eleven
Power	90V-264V, 47Hz-63Hz full range; 12A ~ 6A
<b>Environmental</b>	
Relative Humidity	5% ~ 90% Non-condensing
Operating Temperature	10°C ~ 40°C (50°F ~ 104°F)
Physical Dimension	33(L) x 19(W) x 7(H) in
Weight (w/out disks)	45 Kg / 99 Lbs
<b>Compatibility</b>	
Operating Systems	VMWare ESX Server, vSphere, Windows Server 2008, XenServer, Oracle/Solaris, Linux, MAC OS X
SATA Drives 3.5"	1TB, 2TB, 3TB, 4TB, 6TB and 8TB - 760iS 10G single controller only
SAS Drives 3.5"	600GB, 1TB, 2TB, 3TB, 4TB, 6TB and 8TB
SAS Drives 2.5"	450GB, 600GB, 900GB, 1.2TB and 1.8TB
SSD Drives 2.5"	480GB, 600GB, 800GB, 1TB and 2TB - 760iSD 10G dual controller requires MUX adapters

## RAID FEATURES

- RAID Levels 0, 1,10(1E), 3, 5, 6, 30, 50, 60, JBOD
- Up to 128 Array groups
- Up to 128 LUNs
- Global & dedicated hot spares
- Simultaneous online expansion and RAID migration
- Drive roaming
- Online rebuild
- Variable stripe size
- E-mail notification
- Online capacity expansion
- Online volume set expansion
- RAID level/stripe size migration
- Online array roaming
- Online consistency check
- Instant availability and background initialization
- S.M.A.R.T. support
- MAID 2.0
- Bad block auto-remapping

## SYSTEM FEATURES

- Menu driven front LCD display
- Innovative modular architecture
- Redundant flash image for high availability
- Multiple array enclosures per host connection
- Volume sets greater than 2TB (64-bit LBA support)
- Disk drives greater than 2TB
- Supports Windows 4KB/sector, up to 16TB per volume set
- Disk scrubbing / array verification scheduling for automatic repair of all RAID sets
- Records logins in the event log with IP address and service (http, telnet and serial)
- Supports intelligent power management to save energy and extend service life
- NTP protocol RAID controller clock synchronization
- Background initialization for instant availability
- Supports S.M.A.R.T, NCQ and OOB staggered spin-up capable drives
- Local audible event notification alarm
- Real time clock support

## MANUFACTURER



[www.acnc.com](http://www.acnc.com)  
[sales@acnc.com](mailto:sales@acnc.com)  
800.213.2667

### Advanced Computer & Network Corporation

5001 Baum Boulevard, Suite 680  
Pittsburgh, PA 15213  
Phone: 412.683.9010  
Fax: 412.683.9070  
Support: 800.213.2667  
Europe: +44 (0)1628 891616  
GSA Schedule: GS-35F-0694J  
COSTARS Contract# 003-434